

PRODUCT CATALOG

"Your One-Stop Solution for Commercial Kitchen Equipment"



Web.: goyalkitchenequipments.in

Contact Us : 9161171118, 8419005353, 8810758541



ABOUT US

Leading in Commercial Kitchen Solutions Since 2007 Goyal Kitchen Equipment is a trusted name in the hospitality industry, serving Hotels, Restaurants, Cafeterias, Hospitals, and more across India and beyond. Why Choose Us? ISO 9001:2015 Certified. Committed to top-notch quality and reliability. Largest Manufacturer in India. Specializing in Commercial Kitchen, Refrigeration, gas pipe line and HVAC systems. State-of-the-Art Factory 3,50,000 sq. ft. facility with advanced CNC machines for precision manufacturing. Customized Solutions Tailored to meet your specific requirements. Expert Team 700+ skilled employees dedicated to delivering excellence. Proven Success Annual turnover of approx. 100 Cr, reflecting trust and credibility.



Under The Supervision & able-guididance of our mentor Mr. Ankur Agarwal & Mr. Anupam Agarwal.
presenting the most astonishing and aesthetically pleasing collection Since 1992.



1. We are proud to be a certified and authorized dealer of Jindal Stainless Steelway Limited.
2. With ISO 13485:2016 certification, we uphold the highest standards of excellence.
3. Our operations are fully compliant with all official quality parameters, ensuring unmatched reliability.

COMMERCIAL INDIAN COOKING EQUIPMENT



■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304 included angle framework
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Item Code	Dimension	Burner	CI Grill
GKE-001	24"x24"x34"+4"	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons/Hr.	16"x16"

Single Burner Indian Cooking Range



■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304 included angle framework
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Item Code	Dimension	Burner	CI Grill
GKE-002A	48"x24"x34"+4"	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons/Hr.	16"x16"
GKE-002B	48"x24"x34"+4"	G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons/Hr.	14"x14"

Two Burner Indian Cooking Range



■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304 included angle framework
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Item Code	Dimension	Burner	CI Grill
GKE-003A	72"x24"x34"+4"	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons/Hr.	16"x16"
GKE-003B	60"x24"x34"+4"	G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons/Hr.	14"x14"

Three Burner Indian Cooking Range

DESCRIPTION FOR BURNERS

Top	14 Gauge
Covering/ pannel	18/16 Gauge
Cross bracing Square pipe	25x25x1.6mm
Legs square mm pipe	38x38x1.6mm



COMMERCIAL INDIAN COOKING EQUIPMENT



■ Use

Used for cooking Continental-Italian & Mexican dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304 included angle framework
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Item Code	Dimension	Burner	CI Grill
GKE-004A	36"x36"x34+4"	G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons/Hr.	12"x12"
GKE-004B	30"x30"x34+4"	G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons/Hr.	10"x10"

Four Burner Contiental Range



■ Use

Used for cooking Tandoori Roti / Naan / Paratha in the cookware

■ Specification:

- Outer Body Made of Stainless Steel & Inner Body made of MS
- Between outer & Inner Body have 25 mm thick tightly glass wool insulation.
- Commercial grade heavy duty 50 mm thick Clay pot Tandoor
- Available Charcoal Operated & Gas Operated as per requirement

Item Code	Dimension
GKE-014A	30"x30"x34"/36" + 4"
GKE-014B	32"x32"x34"/36" + 4"
GKE-014C	34"x34"x34"/36" + 4"
GKE-014D	36"x36"x34"/36" + 4"

SS Square Tandoor



Dosa & Hot Plate

■ Use

Used for cooking Dosa, Uttapam, Paratha & Pancakes due to the direct contact of the food with the frying surface in the cookware.


■ Specification:

- Made of Stainless Steel AISI-304 included angle framework
- Operate LPG/PNG Gas as per requirement
- 2 Nos. RV Burner & 1 Nos. Pilot Burner
- 15 mm Thick Polished MS Cooktop
- At the front panel there is a collector Oil tray

Item Code	Dimension	Burner	CI Grill
GKE-005A	48"x30"x34+4"	V-900, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. each	44"x23"
GKE-005B	42"x30"x34+4"	V-750, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. each	38"x23"
GKE-005C	36"x30"x34+4"	V-600, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. each	32"x23"

DESCRIPTION FOR BURNERS

Top	14/16 Gauge
Covering/ pannel	18/16 Gauge
Cross bracing Square pipe	25x25x1.6mm
Legs square mm pipe	38x38x1.6mm



COMMERCIAL BULK & CANTEEN EQUIPMENT



■ Use

Used for cooking Chapati / Phulka / Roti in the cookware

■ Specification:

- Made of Stainless Steel AISI-304 included angle framework
- Operate LPG/PNG Gas as per requirement.
- 2 Nos. RV Burner ,1 Nos. Pilot Burner & 1 Nos Puffer Burner.
- 12 mm Thick Polished MS Cooktop.
- At the front panel there is a collector Oil tray

Item Code	Dimension	Burner	CI Grill
RDE-H06-A	48"x30"x34+4"	V-750, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. each	10"x22"
RDE-H06-B	42"x30"x34+4"	V-600, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. each	10"x22"

Chapati Plate with Puffer



■ Use

Bulk Cooking for Industrial Canteen, School Mess & Hotel Mess

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob

Item Code	Dimension	Burner	CI Grill
GKE-016A	30"x30"x18/24"	G-15, 160000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.	24"x24"
GKE-016B	27"x27"x18/24"	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.	18"x18"
GKE-016C	24"x24"x18/24"	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons/Hr.	16"x16"

Single Burner Bulk Cooking Range



■ Use

Bulk Cooking for Industrial Canteen, School Mess & Hotel Mess

■ Specification:


- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob

Item Code	Dimension	Burner	CI Grill
GKE-017A	60"x30"x18/24"	G-15, 160000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.	24"x24"
GKE-017B	54"x27"x18/24"	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.	18"x18"
GKE-017C	48"x24"x18/24"	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons/Hr.	16"x16"

Two Burner Bulk Cooking Range

DESCRIPTION FOR BURNERS

Top	14 Gauge
Covering/ pannel	18/16 Gauge
Cross bracing Square pipe	25x25x1.6mm
Legs square mm pipe	38x38x1.6mm



COMMERCIAL BULK & CANTEEN EQUIPMENT



■ Use

Bulk Cooking for Industrial Canteen, School Mess & Hotel Mess

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob

Item Code	Dimension	Burner	CI Grill
GKE-018A	84"x30"x18/24"	G-15, 160000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.	24"x24"
GKE-018B	78"x27"x18/24"	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.	18"x18"
GKE-018C	72"x24"x18/24"	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons/Hr.	16"x16"



Three Burner Bulk Cooking Range

■ Use

Boiling of water, Rise, Pulse & Potato Etc. for bulk cooking at Industrial Canteens, Government or Military Messes & Mid-Day meals.

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob
- Heavy Duty Valve Fitted at bottom of vessel for draining water or cooked material

Item Code	Dimension	Capacity	Burner
GKE-019A	36"x30"x42"	80 Ltrs	G-10, 70000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.
GKE-019B	42"x36"x48"	120 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.
GKE-019C	48"x36"x48"	160 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.



Tilting Type Bulk Cooker

■ Use

Used to fry products sauté vegetable, braising, searing, shallow frying and general cooking at Industrial Canteens, Government or Military Messes & Mid-Day meals

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob
- The pan is equipped with a mechanism of lifting & lowering what provides convenient cleaning & Service of the pan

Item Code	Dimension	Capacity	Burner
GKE-020A	36"x30"x42"	80 Ltrs	G-10, 70000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.
GKE-020B	42"x36"x48"	120 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.
GKE-020C	48"x36"x48"	160 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.



Tilting Type Brat Pan



COMMERCIAL BULK & CANTEEN EQUIPMENT



Masala Trolley

■ Use

Keep vivid type of spices or masalas in a fresh and hygienic way in commercial kitchen

■ Specification:

- Made of Stainless Steel
- 12 Nos. Stainless 1/6"150 Deep GN Pan with Lid
- 1 Nos. S.S. Handle
- 4 Nos. 5" Diameter heavy duty rubber tired Swivel type caster - two with brake

Item Code	Dimension
GKE-021A	32"x24"x34"



Tea Snacks Service Trolley

■ Use

Used for Serving Tea Snacks for industrial canteens, hospitals & Plants

■ Specification:

- Made of Stainless Steel
- 4 Nos. (1/1)*150 Deep GN Pan with Lid for keeping Snacks
- 2 Nos 21"x19"x4" Tray for Tea Cup
- 6 Nos 6"x5"x6" Pockets for keeping Napkin on side
- 1 Nos 20"x8"x15" folding Type Dustbin
- 4 Nos. 5" Diameter heavy duty rubber tired Swivel type caster - two with brake

Item Code	Dimension
GKE-022A	5" + 41" + 8"x22"x36" + 4"



Hot Bain Marie

■ Use

Short-term keeping hot of the first & second courses in gastronom containers & their serving to customers

■ Specification:

- Made of Stainless Steel
- 5 Nos. (1/1)*150 mm Deep GN Pan with Lid
- The smooth temperature regulation is provided from +30 to 85°C
- The guiding rails with drip tray for supporting delivered service
- 1 Nos. 2 KW S.S. tubing heating element & element clamped 25 mm off bottom of tank
- Control panel complete with ON/Off switch, indicator light & Adjustable Thermostat

Item Code	Dimension
GKE-023A	72"x27" + 12x34"



COMMERCIAL CHINESE COOKING EQUIPMENT



■ Use

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304 included angle frame
- Operate LPG/PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. Indian (G9) Burner
- Perforated 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front.
- Individual Control & Pilot Knob
- 1 Nos. 500 mm long gooseneck type of Swivel faucet mounting on Back Splash

Item Code	Dimension	Burner	CI Grill
GKE-009A	48"x30"x34" + 12"	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr.	15" Dia Dome

Chinese Range 2 Burner



■ Use

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304 included angle frame
- Operate LPG/PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. Indian (G9) Burner
- Perforated 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front.
- Individual Control & Pilot Knob
- 1 Nos. 500 mm long gooseneck type of Swivel faucet mounting on Back Splash

Item Code	Dimension	Burner	CI Grill
GKE-007A	60"x30"x34" + 12"	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons/Hr.	15" Dia Dome 10"x10"

Chinese Burner Range (2+1) Burner



■ Use

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304 included angle frame
- Operate LPG/PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. Indian (G10) Burner
- Perforated 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 600 mm long gooseneck type of Swivel faucet mounting on Back Splash

Item Code	Dimension	Burner	CI Grill
GKE-008A	72"x30"x34" + 12"	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. G-10, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr.	15" Dia Dome 14"x14"

Chinese Burner Range (2+1) Burner



COMMERCIAL CHINESE COOKING EQUIPMENT



Two Burner Combi Range

■ **Use**

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ **Specification:**

- Made of Stainless Steel AISI-304 included angle frame
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob
- With 1 Nos. High Pressure (T35) & 1 Nos. Indian (G10) Burner
- Perforated 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 400 mm long gooseneck type of Swivel faucet mounting on Back Splash

Item Code	Dimension	Burner	CI Grill
GKE-0010A	48"x30"x34" + 12"	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr. G-10 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr.	15" Dia Dome 14"x14"



Single Burner Chinese Range

■ **Use**

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ **Specification:**

- Made of Stainless Steel AISI-304 included angle frame
- Operate LPG/PNG Gas as per requirement
- Individual Control & Pilot Knob
- With 2 Nos. High Pressure (T35)
- Individual Control & Pilot Knob

Item Code	Dimension	Burner	CI Grill
GKE-0011A	24"x30"x34" + 12"	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons/Hr.	15" Dia Dome



Twin Tank Deep Fat Fryer

■ **Use**

Used for cooking many fast foods likes, potatoes & other culinary & confectionary product, and making crisp at Canteen, School Mess & Hotel Mess in the cookware

■ **Specification:**

- Made of Stainless Steel included angle framework with auto Timer & temperature controller
- It has two Tanks with 8 Ltr. Oil capacities with bottom drain wall
- Temperature can be smoothly controlled within the range +20°+190°

Item Code	Dimension	Specification
RDE-H012-A	28"x30"x34" + 4"	Twin Tank 8 Ltr. Each tank cap.
RDE-H012-B	16"x30"x34" + 4"	Single Tank 8 Ltr. cap.





VEG CUTTER / CHOPPER



Electric Plate Warmer

■ Use

Keep dishes primed ready for use with this range of plate warmers, designed to achieve and maintain optimum temperatures. Safely heating and holding plates, professional service and optimum results are guaranteed. Serving food on warm plates will keep dishes at their best for longer periods than if served on cold crockery, ensuring an overall better dining experience for guests.

Item Code	Dimension	Capacity	
GKE-024A	18"x36"x30"	50 x 2 Plate = 100 Plate	Double Holder Cart
GKE-024B	18"x19"x30"	50 x 1 Plate = 50 Plate	Single Holder Cart



Veg Chopper
Power : 0.55Kw/220V
Size : 525x420x536mm



Veg Cutter 5/7/8 Blades
Power : 550W
Size : 560x290x560mm



Dough Kneading Machine

■ Use

Used for Mixing flour/Aata in Restaurant kitchen, Industrial canteen.

■ Specification:

- Bowl & Kneading Shaft made of stainless Steel
- Rugged MS Construction - Painted.
- Powerful gear driven
- Robust durable design

Model	GKE-025A	GKE-025B	GKE-025C	GKE-025D
Capacity Kgs.	10	15	20	30
Motor HP (KW)	1.0 (0.75 Kw)	1.0 (0.75 Kw)	1.5	1.5
Voltage	230V	230V	230/440V	440V



Pulveriser

■ Use

Used for Grinding wet pulses, red chillies, turmeric & Black pepper & Gravy etc

■ Specification:

- Made of stainless Steel Body
- Five numbers of different size holes screen for getting different mesh powders.
- Robust durable design

Model	GKE-026A	GKE-026B	GKE-026C	GKE-026D
Motor HP (KW)	1 HP (0.75 Kw)	2 HP (1.5 Kw)	3 HP (2.2 Kw)	5 HP (3.8 Kw)
Capacity Kgs.	10/15 Kgs/Hrs.	30/35 Kgs/Hrs.	55/60 Kgs/Hrs.	75/80 Kgs/Hrs.
Voltage	230V	230V	230V	440V

PREPARATION & BAKERY EQUIPMENT



Wet Masala Grinder

■ Use

Grinders are used widely used for grinding various Indian spices & Rava for Dasa

■ Specification:

- Bowl made of stainless Steel
- Detachable Cylindrical Granite Roller Stone Assembly
- Powerful gear driven
- The Granite Roller Stone Assembly is fitted with two Wipers to ensure 100% grinding in quicker time

Model	GKE-027A	GKE-027B	GKE-027C
Capacity Kgs.	7	10	15
Motor HP	1.0	1.0	1.5
Voltage	230V	230V	230/440V



Tilting Wet Masala Grinder

■ Use

Grinders are used widely used for grinding various Indian spices & Rava for Dasa.

■ Specification:

- The Drum, Motor housing, Frames are made of High-Quality Stainless Steel
- Detachable Cylindrical Granite Roller Stone Assembly.
- Unique adjustable Load Balancing System provided for even spread of load and for very efficient grinding
- Tilting system enables the drum to tilt and lock at 100 degrees for easier and hygienic transfer of batter

Model	GKE-028A	GKE-028B	GKE-028C	GKE-028D
Capacity Kgs.	7	10	15	25
Motor HP	1.0	1.0	1.5	3.0
Voltage	230V	230V	230/440V	440V



Potato Peeler

■ Use

Used for peeling potato & other edible roots at Restaurant kitchen, Industrial canteen.

■ Specification:

- The body of machine made of stainless Steel
- Strong emery bonding for peeling.
- Operations with running water supply
- Drain outlet provided for waste disposal

Model	GKE-029A	GKE-029B
Capacity Kgs.	10	20
Motor HP (KW)	0.5 (0.4 Kw)	1.0 (0.75 Kw)
Voltage	230V	230V



Vegetable Cutting Machine

■ Use

Used for cutting & slicing fresh & cooked vegetables & fruits at Restaurant kitchen, Industrial canteen & public catering.

■ Specification:

- The body of machine made of stainless Steel
- Comprehensive range of 7 discs for slicing, ripple cutting, grating and cutting into sticks, strips or with optimum.
- High-speed electric motor for continuous cuttings
- Robust durable design

Model	GKE-030A
Capacity Kgs.	200-250 Kg/Hr
Motor HP (KW)	1.0 (0.75 Kw)
Voltage	230V

PREPARATION & BAKERY EQUIPMENT



■ Use

Used for mincing meat & fish for stuffing sausages at Restaurant kitchen, catering enterprises.

■ Specification:

- All the components are made of stainless Steel
- The Hopper diameter is 40 mm
- The standard delivery set includes a screw, a grater plate, two blades, a plate 9 mm & a plate 5 mm
- Robust durable design

Model	GKE-031
Capacity Kgs.	200-250 Kgs./Hr
Motor HP (KW)	1.0 (0.75 Kw)
Voltage	230V

Meat Mincer (Electric)



■ Use

Used for mixing both light & dough kneading at bakeries & public catering enterprises.

■ Specification:

- The spiral, the bowl & the dough breaker are made of stainless steel
- White painted steel structure.
- Powerful gear driven
- Available manual control & digital control model

Model	GKE-032A	GKE-032B	GKE-032C
Bowl Cap Ltr.	28 (1 Speed)	45 (2 Speed)	66 (2 Speed)
Motor (KW)	1.7 Kw	2.0 Kw	3.5 Kw
Voltage	230V	440V-3 P	440V-3 P

Spiral Dough Mixer



■ Use

A planetary mixer is industrial mixing equipment used to prepare food, chemical, ceramic dough or other types of products, replacing manual labour through a mechanical system that allows us to produce continuously large quantities of dough.

■ Specification:

- Bowl made of stainless Steel
- Detachable Cylindrical Granite Roller Stone Assembly
- Powerful gear driven
- The Granite Roller Stone Assembly is fitted with two Wipers to ensure 100% grinding in quicker time

Model	GKE-033A	GKE-033B	GKE-033C	GKE-033D	GKE-033E	GKE-033F
Bowl Cap Ltr.	7.5	10	20	28	38	60
Motor (KW)	0.32 Kw	0.6	1.1	1.5	1.5	2.2
Voltage	230V	230V	230V	230V	230V	440V-3P

Planetary/Bakery Mixture



■ Use

Used for baking confectionery & bakery products like Biscuit, Chips, Donut, Cakes, and Breads at public catering enterprises.

GAS OPERATED:-

Model	Capacity	Wattage (W)	Voltage	Thermal Load MJ/Hr	Dimension	No. of Baking Tray
GKE-034A	10 Kg/Hr.	48	230V-1P	40 MJ/Hr. 0.9Kg Gas/Hr.	40"x29x22"	1
GKE-034B	20 Kg/Hr.	60	230V-1P	60 MJ/Hr. 1.2Kg Gas/Hr.	53"x36"x26"	2

ELECTRIC OPERATED:-

Model	Capacity	Wattage (W)	Voltage	Dimension	No. of Baking Tray
GKE-034C	20 Kg/Hr.	6600	230V-1P	50"x34"x24"	2

Single Deck Oven

PREPARATION & BAKERY EQUIPMENT



■ Use

Used for baking confectionery & bakery products like Biscuit, Chips, Donut, Cakes, and Breads at public catering enterprises.

ELECTRIC OPERATED:-

Model	Capacity	Wattage (W)	Voltage	Dimension	No. of Baking Tray
GKE-035A	40 Kg/Hr.	13200	440V-3P	50"34"x48"	4

Double Deck Oven



■ Use

Used for baking confectionery & bakery products like Biscuit, Chips, Donut, Cakes, and Breads at public catering enterprises.

GAS OPERATED:-

Model	Capacity	Wattage (W)	Voltage	Thermal Load MJ/Hr	Dimension	No. of Baking Tray
GKE-036A	60 Kg/Hr.	180	230V-1P	180 MJ/Hr. 3.6Kg Gas/Hr.	53"x36x72"	6
GKE-036B	90 Kg/Hr.	210	230V-1P	210 MJ/Hr. 4.2Kg Gas/Hr.	70"x36"x26"	9

ELECTRIC OPERATED:-

Model	Capacity	Wattage (W)	Voltage	Dimension	No. of Baking Tray
GKE-036C	60 Kg/Hr.	19800	440V-3P	50"34"x64"	6
GKE-036D	90 Kg/Hr.	25200	440V-3P	66"34"x65"	9

Three Deck Oven



Dough Sheeter

GKE-037	
Conveyer Belt (wide in mm)	500
Conveyer Belt (Length in mm)	2000
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	400
Dimension	2540 x 910 x 1150
Weight (Kg)	235



Ice Crusher

■ Use

This electric ice crusher is great to make troublesome big ice cubes into snow cone at ease.

■ Specification:

- The upgraded groove fits both tray and cup to contain shaved ices, more practical.
- With a drain pipe to avoid a wet working environment after use.
- It adopts double shaving blades, which greatly increases the crush efficiency and meets the demand of commercial use.
- The handle is covered with insulated rubber to ensure safe and non-slip operation.

GKE-038	
Dimension	425 x 205 x 320 mm
Hoper Demeter	108 mm
Motor Speed	1400 RPM
Power Consumption	180 W

DISH WASH & POT WASH EQUIPMENT



Three Sink Unit

Item Code	Unit Size	Sink Size
GKE-039A	66"x24"x34" + 6"	18"x18"x12"
GKE-039B	60"x24"x34" + 6"	16"x16"x10"



Two Sink Unit

Item Code	Unit Size	Sink Size
GKE-040A	48"x24"x34" + 6"	18"x18"x12"
GKE-040B	42"x24"x34" + 6"	16"x16"x10"



Single Sink Unit

Item Code	Unit Size	Sink Size
GKE-041A	24"x24"x34" + 6"	18"x18"x12"
GKE-041B	20"x24"x34" + 6"	16"x16"x10"



Dishlanding Table with Garbage Chute

Item Code	Unit Size
GKE-042A	48"x24"x34" + 6"
GKE-042B	60"x27"x34" + 6"



Clean Dish Rack

Item Code	Unit Size	No. of Shelves
GKE-043A	44"x20"x72"/66"	4, 5
GKE-043B	48"x24"x72"/66"	4, 5
GKE-043C	54"x24"x72"/66"	4, 5



Hood Type Dishwasher with Entry & Exit Table

GKE-044

■ **Use**

Used for washing dishes, glasses, cups & cutlery at small & medium size public catering enterprises

■ **Technical Specification:**

- Dimension (mm) 640 x 740 x 1480
- Door Construction - Single Wall
- Electrical Connection- (V/Hz/ph) 400/50/3
- Max glass height (mm) - 380
- Rack Size (mm) - 500 x 500
- Water Consumption (L/Cycle)- 2.5 Ltr

■ **Specification:**

- Basket for plate washing
- Basket for glass & cup washing
- Two pumps

The machine can work with cold or hot water supply

DISH WASH & POT WASH EQUIPMENT



Pot Rack

Item Code	Unit Size	No. of Shelves
GKE-045A	48"x24"x66"/72"	3,4
GKE-045B	54"x24"x66"/72"	3,4
GKE-045C	60"x27"x66"/72"	3,4



Wall Shelf

Item Code	Unit Size
GKE-046A	48"x12"
GKE-046B	54"x12"
GKE-046C	60"x12"
GKE-046D	66"x12"
GKE-046E	72"x12"



L Type Dishlanding Table With Sink

GKE-047

■ **Use**

Hand shower for preliminary rinsing of dirty cutlery before loading it into a dishwasher

■ **Specification:**

- 1 Nos. seamless sink of 450x450x300 mm
- 2 Nos. Waste Hole
- 1 Nos. Over Tray Rack

■ **Dimension**

1950+2550x900x850+550



Pot Wash Sink

Item Code	Unit Size	No. of Shelves
GKE-048A	36"x30"x24" + 6"	30"x24"x12"
GKE-048B	42"x30"x24" + 6"	36"x24"x12"



Soiled Dish Collection Trolley

Item Code	Unit Size	Sink Size
GKE-049A	36"x30"x24" + 6"	30"x24"x12"
GKE-049B	42"x30"x24" + 6"	36"x24"x12"



Utility Trolley

Item Code	Unit Size
GKE-050A	30"x24"x34"
GKE-050B	36"x24"x34"



Four Door Vertical Refrigerators

GKE-051

■ **Specification:**

- 60 mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1 GN pan & 6 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.

Technical Specification:

- Supply Voltage: - 230 V/ 1 ph/50Hz (675 Watts)
- Current: - 3.85 amp.
- Ltr. Capacity: - 1250 Ltr.
- External Dimension: - 1370 x 800 x 2100 mm
- Refrigerant Type: - R134a (550 g)
- Operating Temp Min.: -2 °C.
- Operating Temp Max.: 10 °C.
- Operating Mode: Ventilated
- Cooling Unit: Inbuilt
- Defrost Type: Electric



Two Door Vertical Refrigerators

GKE-052

■ **Specification:**

- 60 mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1 GN pan & 3 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.

Technical Specification:

- Supply Voltage: - 230 V/ 1 ph/50Hz (475 Watts)
- Ltr. Capacity: - 600 Ltr.
- External Dimension: - 721 x 800 x 2100 mm
- Refrigerant Type: - R134a (300 g)
- Operating Temp Min.: -2 °C.
- Operating Temp Max.: 10 °C.
- Operating Mode: Ventilated
- Cooling Unit: Inbuilt
- Defrost Type: Electric



REFRIGERATION EQUIPMENT



■ Specification:

- 60 mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Forced air circulation for rapid cooling & an even temperature distribution.
- 4 Nos. adjustable S.S. wire mesh shelves.

ITEM CODE	Dimension (LxWxH)	Ltr. Capacity	Power Consum.
RDE-001A	60"xW"x34" + 4"	300 Ltr.	475 Watts
RDE-001B	72"xW"x34" + 4"	400 Ltr.	475 Watts

W= Width available 24" / 27" / 30"
Available Static Cooling & -18 to -20 °C.

Under Counter Refrigerator

GKE-053



■ Specification:

- 60 mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Forced air circulation for rapid cooling & an even temperature distribution.
- 4 Nos. adjustable S.S. wire mesh shelves.
- Two number of overhead shelves are provided for easy pick up

ITEM CODE	Dimension (LxWxH)	Ltr. Capacity	Power Consum.
RDE-002A	60"xW"x34" + 18" + 15"	300 Ltr.	475 Watts
RDE-002B	72"xW"x34" + 18" + 15"	400 Ltr.	475 Watts

W= Width available 24" / 27" / 30"
Available Static Cooling & -18 to -20 °C.

Pick Up Counter With UCR

GKE-054



■ Specification:

- 60 mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Forced air circulation for rapid cooling & an even temperature distribution.
- 4 Nos. adjustable S.S. wire mesh shelves.
- 8 Nos. (1/6)*100 Deep cold GN Pan with lid for store mizzas.

ITEM CODE	Dimension (LxWxH)	Ltr. Capacity	Power Consum.
RDE-003A	60"xW"x34" + 4"	300 Ltr.	475 Watts
RDE-003B	72"xW"x34" + 4"	400 Ltr.	475 Watts

W= Width available 24" / 27" / 30"
Available Static Cooling & -18 to -20 °C.

Mac-Line cum Under Counter Refrigerator

GKE-055



■ Specification:

- 60 mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1 GN pan & 6 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.

Double Glass Door Refrigerator

GKE-056



Copper Tandoor



Rotary Oven



Combi Oven



Micro Oven



Proofer



Idli Steamer



Dim Sum Steamer



Bread Slicer



Sandwich Griller



Waffle Maker



Sushi Display Counter



Ice Cube Machine



Bar Blender



Wine Chiller




Cocktail Bar Counter



Work Tables
Cross Bracing



Work Tables
1 Under Shelf



Work Tables
2 Under Shelf



Meat Mincer



Air Curtain



Horse Reel



Pre Rinse Unit



Coffee Urn W/CL Legs
Capacity : 19 Ltr.
Model : AJHURN 19L



Coffee Urn W/nl Legs
Capacity : 12 Ltr.
Model : AJCURMWL 12L



Double Cereal Dispenser
Capacity : 8 Ltr. x 2
Model : AJDCD 8L



Cereal Dispenser
Capacity : 4 Ltr.
Model : AJCD 4L



Juice Dispenser
Capacity : 4 Ltr.
Model : AJJD 4L



Juice Dispenser
Capacity : 8 Ltr.
Model : AJJDBL



SOUP WARMER (Metal)
Capacity : 10 Ltr.
Model : AJSKF10L



SOUP WARMER (SS)
Capacity : 10 Ltr.
Model : AJSS10L



MILK BOILER
Capacity : 5 Ltr. / Milk &
10 Ltr. / Water
Model : AJMB5L/10L



ELECTRIC WATER BOILER
Capacity : 10 Ltr.
Model : AJWB10L



Electric Fiber Chafer (Roll Top Cover)
Capacity : 10 Ltr.
Model : AJEFC 10L



Electric SS Chafer (SS Cover)
Capacity : 10 Ltr.
Model : AJESS 10L

PIZZA OVEN ELECTRIC FRYER



Electric Conveyer Pizza Oven, 12"
Power : 5.8 - 6.9Kw, 220w
Output : 12" Pizza, 16 per hour
Size of Chain : 1040 x 355 mm Depth
Size of Shape : 1500 x 600 x 430 mm
Model : AJECPO 12"



Pizza Oven Single Deck Single Tray, RH-11
Size : 930 x 630 x 400 mm
Stone Size : 483 x 635 mm
Power : 3.2kw
Model : AJE05



Single Fryer 4L
Size : 217 x 400 x 290 mm
Power : 2.0Kw
Cap. : 4 Ltrs.
Model : AJSDf 4L



Double Fryer 6+6 L
Size : 580 x 460 x 310 mm
Power : 2.5Kw x 2
Cap. : 8 Ltrs. x 2
Model : AJDDF 6L

SPRIRAL MIXER & PLANTARY MIXER



Spiral Mixers, H60
Cap. : 60 Ltrs.
Power : 3.7 Kw, 380v
Max Kneeding : 25 Kgs.
Model : AJH60



Plantary Mixers, B20
Cap. : 20 Ltrs.
Power : 2.1 kw
Max Kneeding : 6Kgs.
Model : AJ B20

BAIN MARIE



2 Pan
Size : 570 x 370 x 280 mm
Power : 1.2 Kw
Model : AJBM1/2/2



4 Pan W/Glass & Value
Size : 1450 x 350 x 360 mm
Power : 1.8 Kw
Model : AJGBM1/2/4

COFFEE MACHINE



Coffee Machine
Fully Automatic
Single Head Group



Coffee Machine
Fully Automatic
Double Head Group



Coffee grinder



Coffee Machine
Semi automatic
Single head group



Coffee Machine
Semi automatic
Double head group





Box Type Hood



Wall-Mounted Hood



Ceiling-Mounted Island Hood



Fresh Air System



Wet Scrubber Machine



Industrial Air Cooler



Blower



GI Sheet (22 Gauge)



Pressure Gauge



Gas Leakage Detector



Gas Bank



Emergency Gas
Shut-Off Valve



Solenoid Valve
(Automatic shut-off)



Flame Failure
Safety Device



Gas Manifold
System



**Kripalu Ji Maharaj
Mandir**

**RAM Mandir
Ayodhya**

JPNIC

**Lucknow
Airport**

20 + JAIL OF UP INCLUDING

- Central Jail
- Yamuna Jail
- Meerut Jail
- Prayagraj Chief Justice Jail
- Varanasi Zone Jail
- Agra Central Jail
- Etawah Jail
- Lucknow Jail

20 + MEDICAL COLLEGE INCLUDING

- Kushinagar Medical College
- Sultanpur Medical College
- Sonbhadra Medical College
- Lalitpur Medical College
- Auriyaa Medical College
- Kanpur Dehat Medical College

India's Largest Commercial Kitchen Equipment Manufacturing Facility!

With a massive
3.5 lakh sq. ft. facility,
we produce 20 tonnes
of commercial kitchen
equipment daily!



OVER 50,000 FT. OF IMPORTED COMMERCIAL KITCHEN EQUIPMENT IN STOCK!





Our Challenging Story **COMPLETED 6 COLLEGES IN 1 MONTH**

'Including Planning And Designing
And Ducting Gas Pipe Line'

In Association with
PSP Projects LTD

Our Presence



WE ARE PROUD TO MAKE
**QUALITY
DRIVER KITCHEN**

- Establish in 2007
- 575 Technical staff
- 125 Adminitrative Staff
- 15 Ton Per Day production capacity

- Kushinagar Medical College
- Sonbhadra Medical College
- Auriyaa Medical College
- Sultanpur Medical College
- Lalitpur Medical College
- Kanpur Dehat Medical College



We have done projects of Government of India like Indian Institute, University, High Court, Medical College, NPCC, C.M.OFFICE, And Many Private Project.
Many of our running projects are going on Like Hotels, Restaurants, Cafes, Fast Food Chains, Malls and many more.

OUR HOSPITALITY CLIENTS



OUR FOOD CHAIN PARTNERS



KIORA



MARYLIN



NEELKANT SWEETS



MARKSMEN



GOOD BAKERY



JINDAL FARM



ROYAL CAFÉ



MASAKI



BRANDS WE DEAL IN



GOYAL KITCHEN EQUIPMENTS

Office- 9161171118, 8419005353, 8810758541

Workshop & Plant- 7309300022, 6200113163

Website : goyalkitchenequipments.in

Works at all over Uttar Pradesh

Head Office: B-36, RAMSWAROOP AGARWAL MARG, Nirala Nagar, Lucknow, Uttar Pradesh 226020

Workshop: 28B-53B, Mallpur Crossing, Dubagga, Near Nirmal Dhaba, Lucknow-226003

Plant: Plot No. A-6/7 Industrial UPSIDC, Kursi Road, Barabanki- 226026

Landline : 522 424 4329

